

Making Ecosystem-based Adaptation Effective

A Framework for Defining Qualification Criteria and Quality Standards



KEY MESSAGES

- Ecosystem-based Adaptation (EbA) is a nature-based solution that is gaining significant importance in the context of climate change (e.g. UNFCCC Paris Agreement, NDC, NAP) and biodiversity conservation policies (e.g. CBD Strategic Plan 2011-2020, Aichi targets).
- EbA links traditional biodiversity and ecosystem conservation approaches with sustainable socio-economic development as part of an overall strategy for helping people adapt to shocks and risks associated with climate change.
- In the context of increasing political commitment and funding it is essential to sharpen the understanding among policy makers and practitioners on what qualifies as EbA, to avoid the incorrect re-packaging of “business-as-usual” conservation or development approaches.
- This paper provides a practical assessment framework for designing, implementing and monitoring EbA measures by proposing a set of 3 elements, 5 qualification criteria and 20 quality standards and example indicators.
- The Friends of EbA network (FEBA) encourages decision makers and practitioners to use this assessment framework to apply a common set of qualification criteria and standards in the context of implementing the UNFCCC Paris Agreement and NDC commitments as well as the national adaptation planning processes.

Implemented by

giz Deutsche Gesellschaft
für Internationale
Zusammenarbeit (GIZ) GmbH



iied International Institute
for Environment
and Development

On behalf of:



Federal Ministry for the
Environment, Nature Conservation,
Building and Nuclear Safety

of the Federal Republic of Germany

Suggested citation:

FEBA (Friends of Ecosystem-based Adaptation). (2017). Making Ecosystem-based Adaptation Effective: A Framework for Defining Qualification Criteria and Quality Standards (FEBA technical paper developed for UNFCCC-SBSTA 46). Bertram, M.,¹ Barrow, E.,² Blackwood, K.,³ Rizvi, A.R.,³ Reid, H.,⁴ and von Scheliha-Dawid, S.⁵ (authors). GIZ, Bonn, Germany, IIED, London, UK, and IUCN, Gland, Switzerland. 14 pp.

This paper was jointly developed by GIZ (the BMUB-IKI funded global project *Mainstreaming Ecosystem-based Adaptation: Strengthening Ecosystem-based Adaptation in planning and decision making processes*), IUCN, and IIED. This project is part of the International Climate Initiative (IKI). The Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) supports this initiative on the basis of a decision adopted by the German Bundestag.

Acknowledgements:

We would like to thank the following persons for reviewing the document.

Cordula Epple (UN Environment WCMC), Angela Andrade (CEM), Mandy Barnett (SANBI), Alexandra Köngeter (GIZ), Timo Leiter (GIZ), Henry Neufeldt (ICRAF), Caroline Petersen (UNDP), Tine Rossing (Freelance Consultant), Arno Sckeyde (GIZ), and Anika Terton (IISD).

Photos on cover page used with permission from GIZ.

¹ Gesellschaft für Internationale Zusammenarbeit (GIZ), Bonn, Germany

² International Union for Conservation of Nature (IUCN), Nairobi, Kenya

³ International Union for Conservation of Nature (IUCN), Washington DC, USA

⁴ International Institute for Environment and Development, London, UK

⁵ Freelance Expert for GIZ

1. Ecosystem-based Adaptation: Not “business as usual”

Few concepts have acquired as much prominence in such a short time span in the conservation and development sectors as Ecosystem-based Adaptation (EbA). The term EbA was coined in 2008⁶ and officially defined in 2009.⁷ Then in 2010 a major flagship project was initiated⁸ and stocktakes by IUCN (2014), UN Environment (2011), UNDP (2015) and other institutions identified over 150 EbA initiatives across the globe. The CBD definition of EbA is now the most commonly accepted:

“Ecosystem-based adaptation is the use of biodiversity and ecosystem services as part of an overall adaptation strategy to help people to adapt to the adverse effects of climate change.”


- CBD, 2009 (emphasis added)

EbA is a nature-based solution⁹ for addressing climate change impacts; meaning it focuses on the benefits humans derive from biodiversity and ecosystem services, and how these benefits can be utilized in the face of climate change. Consequently, EbA is a people-centric concept, but one that acknowledges that human resilience depends critically on the integrity of ecosystems. Yet ecosystem health alone does not guarantee human resilience, so EbA is best implemented as an integrated element of a broader adaptation strategy.

EbA initiatives draw on a wide range of existing practices employed by the conservation and development sectors, such as sustainable natural resource management, community-based natural resource management and community-based adaptation (Figure 1). These practices include existing ecosystem or landscape level approaches, and can involve, for example, integrated watershed management, sustainable land management, or coastal zone management to secure ecosystem functions and services. One focus of EbA is “green infrastructure”, which can complement or substitute hard, or “grey”, infrastructural measures such as dykes, dams, river stabilization structures or man-made water reservoirs. EbA can also complement or offer alternatives to conventional agricultural practices (such as climate smart agriculture”).¹⁰ **The difference between EbA and “business as usual” is that it links traditional biodiversity and ecosystem conservation approaches with sustainable socio-economic development as part of an overall strategy for helping people adapt to shocks and risks associated with climate change** (see Figure 1).

Questions remain about what can be called EbA, and about how and when to implement EbA in practice. We know healthy ecosystems buffer communities against risks, but we need to explore how best a combination of adaptation options (e.g. hard and/or nature-based) should be applied based on the particular circumstances. We need to know how cost-effective EbA approaches are, and how we can

Figure 1: In the context of sustainable development, Ecosystem-based Adaptation (EbA) encompasses the linkages among several other approaches, such as climate change adaptation, biodiversity and ecosystem conservation, and the generation of socio-economic benefits. Adapted from Midgley et al., 2012



⁶IUCN, working with its Members, coined the term Ecosystem based Adaptation and made a submission on to the UNFCCC AdHoc Working Group on Long-term Co-operative Action (AWG LCA) at UNFCCC COP 14.

⁷CBD COP 10, Decision X/33 (CBD, 2009)

⁸BMUB-IKI funding for Mountain EbA Flagship Project - UNEP, UNDP, IUCN (2010-16)

⁹ IUCN (2016) defines nature-based solutions as actions to protect, sustainably manage and restore natural or modified ecosystems, which address societal challenges (e.g. climate change, food and water security or natural disasters) effectively and adaptively, while simultaneously providing human well-being and biodiversity benefits.

¹⁰ FAO (2010) defines climate-smart agriculture as agriculture that sustainably increases productivity, resilience (adaptation), reduces/removes GHGs (mitigation), and enhances achievement of national food security and development goals.

optimize the provision of additional benefits for people (for example, a nature-based solution such as a restored mangrove forest can reduce the impacts of storm surges, supports carbon sequestration and also provides a spawning ground for fish and crustaceans). Practitioners need to better understand and harness the social, environmental, and economic potentials that already exist in the system, such as traditional knowledge and local institutions. Practitioners also need to understand how to overcome policy and governance challenges that are inherent in such a cross-sectoral and inter-disciplinary approach. EbA measures should not stand alone: they should be integrated into a broader adaptation strategy; built into decision making, planning, and implementation from local to national levels. We need to better understand how EbA can be incorporated into existing policies and plans, which can be challenging given the broad and cross sectoral nature of EbA.

2. Objectives of this Paper

Many organizations, including members of the Friends of EbA network (FEBA)¹¹ have gained both conceptual and practical experience in designing and implementing EbA measures in various regions, ecosystems, and levels of governance. These experiences provide a rich source of lessons and are a good entry point for improving our understanding about the essential “ingredients” for EbA application and how to effectively integrate such approaches into planning and decision making processes. This paper is based on a review and analysis of more than 30 publications from FEBA members and others actors; it includes key elements, principles, criteria, and indicators for defining EbA and for strengthening its integration into policy frameworks and implementation measures at different levels.

Based on these experiences, the objective of this paper is twofold:

- a) **To sharpen understanding among policy makers and practitioners about what qualifies as EbA**, so that activities can be accurately identified. Because EbA is gaining importance under the UNFCCC Paris Agreement (e.g. in nationally determined contributions [NDCs], climate finance, national policies and budgeting), it is important to avoid the incorrect re-packaging of “business-as-usual” conservation or development approaches as EbA. Establishing qualification criteria will help to “de-mystify” EbA and to promote its systematic integration into an overall strategy by increasing focus on ecosystems across different adaptation approaches, rather than separating it from other adaptation options.
- b) **To provide guidance on the quality of EbA measures**. By proposing quality standards and example indicators, this guidance will help practitioners determine whether measures that are planned, implemented, and reviewed comprise strong EbA elements (or not).



Photo credit: IUCN/Ali Raza Rizvi

¹¹ [The Friends of EbA](#) (FEBA) is an informal network of over 30 organizations with an interest in promoting collaboration and knowledge sharing on Ecosystem-based Adaptation through joint events and initiatives, as well as the development of position papers and technical documents on EbA.

3. What qualifies as Ecosystem-based Adaptation?

Three elements and five criteria help answer the question “*Is this approach EbA or not?*”. EbA elements reflect the 2009 CBD definition for EbA which says that EbA (i) *helps people adapt to climate change* (ii) *by an active use of biodiversity and ecosystem services*, (iii) *in the context of an overall adaptation strategy*. **All three elements of the CBD definition must be addressed in order for an activity, initiative, project, approach, strategy and/or measure to qualify as ecosystem-based adaptation.**

Each element below contains one or two criteria including a short text explanation with additional information that provides a link to the quality standard assessment framework (Tables 1a, b, and c). Not only do the five criteria help determine whether a proposed activity is actually EbA, but they also help practitioners avoid maladaptation – whereby the activity is in fact detrimental to adaptation in the long-term, in a different aspect (socially, environmentally, economically, etc.), or for a neighboring area.

Element A – EbA helps people adapt to climate change

Criterion 1. Reduces social and environmental vulnerabilities.

EbA must explicitly address current and future climate change and climate variability. It is based on assessments of climatic vulnerability, hazards and risks to people, as well as the adaptation benefits derived from ecosystem services. A combination of climate information (based on the best available scientific data and models *and* local knowledge) and vulnerability assessments should form the basis for implementation. EbA measures need to reduce climate vulnerability for people at an appropriate scale (e.g. at least local scale but ideally ecosystem or landscape/seascape scale).

Criterion 2. Generates societal benefits in the context of climate change adaptation.

EbA reduces vulnerabilities of people through the use of biodiversity and ecosystem services and by producing societal benefits in a fair and equitable manner. It addresses the needs of people, especially those who directly depend on or use natural resources and who are particularly vulnerable to climate change impacts. EbA delivers direct or indirect benefits that increase peoples’ resilience to climate change, including enhanced food security, shelter, risk reduction, provision of fresh water and medicine, and local climate regulation. It also often generates additional benefits essential for sustainable development including carbon sequestration, habitat provision or medicinal resource provision. In order for EbA to support adaptive capacities it needs to distribute short-, medium- and long-term benefits. Comparative analyses on the extent and scale of adaptive capacity and resilience benefits should clarify whether EbA measures are economically feasible and can complement or substitute other adaptation options. Benefits should be distributed fairly among a representative percentage of the target group.



Photo credit: GIZ

Element B – EbA makes active use of biodiversity and ecosystem services

Criterion 3. Restores, maintains or improves ecosystem health.

EbA restores, maintains and improves ecosystems, land- and seascapes, and is in line with the Ecosystem Approach.¹² It is applied at a scale that addresses the challenge of, and integrates the trade-offs resulting from climate change, meaning it supports the stability, resilience, connectivity, and multiple roles of ecosystems as part of larger land- and seascapes. EbA encompasses measures such as ecosystem management, reinforcement and restoration of natural infrastructure, as well as the management of threats associated with the effects of climate change or anthropogenic activities. Because climate change can force changes in ecosystem composition and structure, it is important that the health and stability of ecosystem services are maintained, improved, and monitored. EbA fosters appropriate land and water management practices that support climate change adaptation, prioritize the management of key ecosystem services, and foster the sustainable use of land and coastal and marine resources (e.g. by conservation and climate-smart agriculture, soil conservation, use of water retention areas, low impact fishing). It supports the diversification of land and marine use and livelihood options such as multi-cropping, agroforestry, and the use of appropriate species and varieties. For example, this can include the introduction of species that are better adapted to climate change, as long as they do not endanger the existence of native species or become invasive. Co-management approaches that involve stakeholders from communities, government and private sector should be supported.




Photo credit: GIZ

Element C – EbA is part of an overall adaptation strategy

Criterion 4. Is supported by policies at multiple levels.

As part of a larger adaptation strategy, EbA operates at one or more levels (i.e. local, national, regional, landscape, and sectoral levels), and can involve supporting sectoral adaptation and multi-sectoral approaches at multiple geographic scales. It is, or becomes, an integral part of key policies and implementation frameworks targeted towards sustainable development, agriculture, land use, poverty reduction, natural resource management, climate change adaptation, and disaster risk reduction. EbA should be integrated into existing policy frameworks so that interventions can be sustainable and scalable, rather than short-term and stand-alone.

Criterion 5. Supports equitable governance and enhances capacities.

EbA enhances governance of natural resources with respect to the use of biodiversity and ecosystem services, by following a community-centered, participatory and gender-sensitive approach; it embraces transparency, empowerment, accountability, non-discrimination and active, meaningful and free participation at the local level. It should support fair and equitable sharing of user access, rights and responsibilities. The ability to adapt to climate change hinges on the ability of local people (comprising different groups, genders, customary bodies, etc.) to take on their rights and responsibilities and to be represented by officials who are accountable to them. Ownership by the people responsible for ecosystem management and by people who are using and benefiting from biodiversity can ensure that benefits emerge and are sustainable. Strong local governance needs to be embedded in higher level governance structures, which can facilitate and stimulate local action through the right policies and enabling environment.

¹² The ecosystem approach is a strategy for the integrated management of land, water and living resources that promotes conservation and sustainable use in an equitable way (CBD, 2016)

3. Defining the quality of Ecosystem-based Adaptation: Quality standards and applying an assessment framework

In addition to the question “*what qualifies as EbA?*” this paper provides an assessment framework that helps answer the questions “*what makes EbA effective?*”, and “*how strong is this EbA initiative?*” Tables 1a, b, and c propose a continuum for assessing the quality of EbA initiatives along a set of quality standards. Each standard is directly linked with one of the five qualification criteria and allows an assessment along four categories (from very weak to very strong EbA).

The assessment framework also proposes example indicators by which the quality of an EbA initiative can be measured. These indicators are neither comprehensive nor complete but can serve as an inspiration for how to monitor the quality of an EbA initiative. The assessment of a particular EbA initiative should assign at least one measurement (or indicator) to each of the categories. While many indicators could be considered, a minimal and practically implementable set of indicators is needed for effective monitoring and evaluation, as well as actual planning. Indicators should be measurable. For some EbA initiatives, data might be available to measure in absolute terms, for example an area of land restored, household earnings, or the makeup of community livelihoods. For other aspects of EbA, data can be more qualitative, for example whether a community relies heavily on indigenous knowledge and institutions to manage their landscapes, or the results of a qualitative assessment of the status of governance.

The framework helps to assess whether an approach or strategy is weak or strong in terms of EbA quality, and provides a baseline on how an EbA strategy can be improved, for example by working to ensure the local governance arrangements are more downwardly accountable. It can therefore be applied during the initial planning phase of an EbA initiative, as well as implementation, and monitoring and evaluation.



Photo credit: IUCN/Ali Raza Rizvi

Table 1a: Assessment framework for EbA quality standards including example indicators, *Element A – ‘Helping people to adapt’*

Qualification Criteria	Quality Standards	Continuum of EbA quality				Example indicators
		Very strong	Strong	Weak	Very weak	
#1. Reduces social and environmental vulnerabilities	1.1 Use of climate information	Yes, short-, medium-, and long-term			Very limited or not at all	<ul style="list-style-type: none"> Extent of information about future climate change used Quality of climate data sources
	1.2 Use of local and traditional knowledge	Yes			Very limited or not at all	<ul style="list-style-type: none"> Extent and relevance of local resources consulted (individuals, communities, NGOs) Participation of affected natural resource users during planning process Quality of consultation process
	1.3 Taking into account findings of vulnerability assessment	Yes, clearly integrating findings of climate change vulnerability assessments			Yes, but only marginally	<ul style="list-style-type: none"> Extent to which information from VA is being considered Consideration of climate risk reduction potential Extent to which ecosystem services are assessed by the VA
	1.4 Vulnerability reduction at the appropriate scale	Land/seascape scale or larger			Local scale	<ul style="list-style-type: none"> n or % of population with reduced vulnerability Effects from different scales of ecosystems are considered
#2. Generates societal benefits in the context of climate change adaptation	2.1 Quantity & quality of societal benefits compared to other adaptation options	Very high			Comparable	<ul style="list-style-type: none"> Quantity of monetary & non-monetary benefits provided (e.g. income, resource access, reduced risks) Quantity & quality of provisioning ecosystem services (e.g. water, food, fiber), regulating ES (e.g. erosion prevention, extreme event buffering, climate regulation) as well as supporting and cultural ES Extent of physical asset damage or destruction avoided (e.g. <i>Saved Wealth</i> index) Extent of avoided deaths and injuries (e.g. <i>Saved Health</i> index)
	2.2 Timescale of societal benefits demonstrated	Short-, medium, and long-term			Short- and/or medium-term	<ul style="list-style-type: none"> Sustainability of provided benefits Estimated or projected benefits
	2.3 Economic feasibility & advantages compared to other adaptation options	Very high			Low	<ul style="list-style-type: none"> Positive economic & non-economic assessments (taking into account a quantification of ecosystem services benefits)
	2.4 Number of beneficiaries	High			Low	<ul style="list-style-type: none"> n or % of benefitting people
	2.5 Distribution of benefits	Fair and transparent			Distribution questionable	<ul style="list-style-type: none"> Distribution of benefits within and between different groups

Table 1b: Assessment framework for EbA quality standards including example indicators, *Element B – ‘Making active use of biodiversity and ecosystem services’*

Qualification Criteria	Quality Standards	Continuum of EbA quality				Example indicators
		Very strong	Strong	Weak	Very weak	
#3. Restores, maintains or improves ecosystem health	3.1 Appropriate scale of management	Land/seascape scale or larger			Small scale	<ul style="list-style-type: none"> Size of the area (e.g. in ha) under management
	3.2 Prioritization of key ecosystem services within management	Yes, clear			Very low	<ul style="list-style-type: none"> n of indicator species (e.g. IUCN Red list) showing the quality of ecosystem and its services Valuation of n ecosystem services (esp. supporting, regulating & cultural) over time
	3.3 Monitoring of ecosystem services health & stability	Yes			No	<ul style="list-style-type: none"> Results of IUCN Red List of Ecosystems categories and criteria Results of ecosystem risk assessments
	3.4 Protection and management area coverage / diversification of land use	High coverage			Very little coverage	<ul style="list-style-type: none"> Size or % of protected area Size or % of restored area Size or % of sustainably management area Size or % of different land use systems
	3.5 Level of co-management (government, communities, private sector)	Very high			Limited	<ul style="list-style-type: none"> n of (community) management plans n of stakeholders engaged in management Level of cooperation between government, local stakeholders and private sector

Table 1c: Assessment framework for EbA quality standards including example indicators, *Element C – ‘Part of an overall adaptation strategy’*

Qualification Criteria	Quality Standards	Continuum of EbA quality				Example indicators
		Very strong	Strong	Weak	Very weak	
#4. Is supported by policies at multiple levels	4.1 Compatibility with policy and legal frameworks & policy support	Very high ← [] →	[]	[]	Limited → [] ←	<ul style="list-style-type: none"> • n of direct links between EbA measure with policies and legal frameworks • Quality and type of policies that support the implementation of the EbA measure as well as its replication and upscaling • n of political decision makers engaged in the process
	4.2 Multi-actor & multi-sector engagement (communities, civil society, private sector)	Very high , with different actors / sectors ← [] →	[]	[]	Limited → [] ←	<ul style="list-style-type: none"> • Level or % of civil society engagement in policy discussions • Level or % of private sector engagement in policy discussions • n of sectors involved • n or % of people participating in activities
#5. Supports equitable governance and enhances capacities	5.1 Accountability & group representation	Clearly demonstrated (up and down) at the relevant scale ← [] →	[]	[]	Very little demonstrated, with decisions made externally → [] ←	<ul style="list-style-type: none"> • Level of accountability & transparency • Level or % of civil society engagement in governance • Level or % of private sector engagement in governance • n or % of people participating in awareness raising or training sessions
	5.2 Consideration of gender balance and empowerment	Explicit part of the proposal ← [] →	[]	[]	None → [] ←	<ul style="list-style-type: none"> • Gender balance within each benefiting group
	5.3 Status of indigenous and local knowledge and institutions	Respected and incorporated ← [] →	[]	[]	Not respected or incorporated → [] ←	<ul style="list-style-type: none"> • n or % of indigenous or local people represented in the governance structure
	5.4 Long-term capacity to ensure sustainable governance	Very strong ← [] →	[]	[]	Little or none → [] ←	<ul style="list-style-type: none"> • n or % of individuals in a group of beneficiaries directly involved in governance framework

4. What comes next? Applying the assessment framework in practice

For years, the many organizations engaged in Ecosystem-based Adaptation have been using varied principles and criteria for EbA. Most of them share a vision as to how EbA should be implemented based on the commonly accepted CBD definition. However, in some instances, the five qualification criteria for EbA are not apparent in all initiatives cited in NDCs (Seddon et al., 2016). For example, few NDCs acknowledge the importance of local community involvement in designing and implementing adaptation activities, and the increasing interest in EbA is not accompanied by a set of robust targets and indicators to ensure and demonstrably measure effective implementation.

The assessment framework defined in this paper proposes a minimum standard and will help practitioners and decision makers to design high quality EbA measures during the planning phase of a project (which should include developing EbA-oriented monitoring and evaluation). It helps practitioners to course-correct – i.e. improve the quality of measures – during the implementation phase. The framework also provides a basis for reporting in the context of a broader adaptation strategy linked to national and subnational commitments. The framework is still flexible enough to be further refined and adapted to specific national contexts and project needs.

The authors encourage decision makers and practitioners beyond the Friends of EbA (FEBA) network to use this assessment framework to apply a common set of qualification criteria and standards. IUCN and GIZ intend to streamline the framework into a tool, complete with instructions tailored for targeted users, for pilot testing, and to support selected partner countries in the piloting, to support further integration of Ecosystem-based Adaptation into national and subnational policies especially in the context of implementing the UNFCCC Paris Agreement and NDC commitments as well as the national adaptation planning processes.



Photo credit: GIZ

5. Works cited and literature consulted

- Andrade, A., R. Córdoba, R. Dave, P. Girot, B. Herrera-F., R. Munroe, J. Oglethorpe, P. Paaby, E. Pramova, E. Watson and W. Vergar (2012) Principles and Guidelines for Integrating Ecosystem-based Approaches to Adaptation in Project and Policy Design: a discussion document. IUCN- CEM, CATIE. Turrialba, Costa Rica. <https://portals.iucn.org/library/node/46555>
- Ayers, J., S. Anderson, S. Pradhan and T. Rossing (2012) Participatory Monitoring, Evaluation, Reflection and Learning for Community-based Adaptation: A Manual for Local Practitioners. CARE International.
- CBD (United Nations Convention on Biological Diversity) (2009) Connecting biodiversity and climate change mitigation and adaptation: Key messages from the report of the Second Ad Hoc Technical Expert Group on Biodiversity and Climate Change (2009) <https://www.cbd.int/doc/publications/ahteg-brochure-en.pdf>
- CBD (United Nations Convention on Biological Diversity) (2014) Promoting synergies in addressing biodiversity and climate change adaptation issues: Linking national adaptation plans and national Biodiversity strategies and action plans. <https://www.cbd.int/doc/meetings/cop/cop-12/information/cop-12-inf-29-en.pdf>. UNEP/CBD/COP/12/INF/29 29 September 2014
- CBD (United Nations Convention on Biological Diversity) (2016) Ecosystem Approach. Accessed 28 March 2017: <https://www.cbd.int/ecosystem/>
- CBD (United Nations Convention on Biological Diversity) (2017) 12 Principles of Ecosystem-based approaches. <https://www.cbd.int/ecosystem/principles.shtml> Accessed 2 May 2017.
- Chesterman, S. & Hope, E. (2012) Payment for ecosystem services: a climate change adaptation strategy for southern Africa. For the Regional Climate Change Programme for Southern Africa (RCCP), UK Department for International Development (DFID). Cape Town: OneWorld Sustainable Investments
- CI (Conservation International) (2013) Inclusion of Ecosystem-Based Approaches for Adaptation/Ecosystem-Based Adaptation (EbA) to Climate Change in International and National Policy.
- CI (Conservation International) (2016) Measuring the adaptation outcomes of ecosystem-based adaptation. Donatti C.I., Andrade A., Burke L., Chhetri N., Cook J., Fedele G., Friedrich C., Goldstein A., Harvey C.A., Hole D., Kontorov A., Leiter T., Mack S., Menazza S., Ndiaye D., Panfil S., Ries F., Rizvi A.R. & Schurman H.
- Dourojeanni, P. (2012) Ejercicio de elaboración de criterios para la selección de medidas de adaptación basada en ecosistemas para en nor Yauyos Cochabamba, Peru, document de trabajo para discusión, published within PNUD, PNUMA, UICN, e IM (2016) – El futuro ancestral: la adaptación basada en ecosistemas, Lima.
- FAO (Food and Agriculture Organization of the United Nations) (2010) "Climate-Smart" Agriculture: Policies, Practices and Financing for Food Security, Adaptation and Mitigation <http://www.fao.org/docrep/013/i1881e/i1881e00.pdf>
- GCF (Green Climate Fund) (2017) Initial Performance Measurement Frameworks (PMF) for Mitigation and Adaptation Projects (fund-level impacts).
- GEF (Global Environment Facility) (2012) Operational Guidelines on Ecosystem-based approaches to adaptation, GEF/LDCF.SCCF.13/Inf.06 <https://www.thegef.org/gef/sites/thegef.org/files/documents/Operational%20Guidelines%20on%20Ecosystem-Based%20Approaches%20to%20Adaptation.pdf>
- Girot, P., C. Ehrhart, J. Oglethorpe, H. Reid, T. Rossing, G. Gambarelli, H. Jeans, E. Barrow, S. Martin, N. Ikkala and J. Phillips (2012) Integrating community and ecosystem-based approaches in climate change adaptation responses. ELAN, unpublished. http://careclimatechange.org/files/adaptation/ELAN_IntegratedApproach_150412.pdf
- GIZ (Gesellschaft für Internationale Zusammenarbeit) (2013) Ecosystem-based Adaptation Fact Sheet <https://www.giz.de/expertise/downloads/giz2013-en-ecosystem-based-adaptation.pdf>
- GIZ (Gesellschaft für Internationale Zusammenarbeit) (2014) Seminar on Ecosystem-based Adaptation – Workshop Proceedings (not published)
- Huq, N., Renaud, F. and Sebesvari, Z. (2013) Ecosystem Based Adaptation (EbA) To Climate Change - Integrating Actions to Sustainable Adaptation. United Nations University, Institute for Environment and Human Security (UNU-EHS) https://www.researchgate.net/publication/265646806_ecosystem_based_adaptation_eb_a_to_climate_change_-_integrating_actions_to_sustainable_adaptation
- IUCN (International Union for Conservation of Nature) (2011) Draft Principles and Guidelines for Integrating Ecosystem-Based Approaches to Adaptation in Project and Policy Design. <https://portals.iucn.org/library/efiles/documents/2011-064.pdf>

- IUCN (International Union for Conservation of Nature) (2014) Nature Based Solutions for Human Resilience: A Mapping Analysis of IUCN's Ecosystem-based Adaptation Projects. https://www.iucn.org/sites/dev/files/content/documents/eba_in_iucn_mapping_analysis.pdf
- IUCN (International Union for Conservation of Nature) (2016) Nature-based Solutions to address global societal challenges. E Cohen-Shacham, G Walters, C Janzen, S Maginnis (eds). <https://portals.iucn.org/library/sites/library/files/documents/2016-036.pdf>
- Jeans, H., J. Oglethorpe, J. Phillips and H. Reid (2014) 'The role of ecosystems in climate change adaptation: Lessons for scaling up.' In J. Ayers, L. Schipper, H. Reid, S. Huq and A. Rahman (2014) Community Based Adaptation to Climate Change: Scaling it up. Routledge, London.
- Martin, S. (2011) "Ecosystem-based Adaptation: What does it really mean?" ClimatePrep: Adaptation stories, lessons, and explorations. Blog, WWF.
- Martin, S. (2016) EbA Revisited, Part 1: Disentangling misconceptions about nature and adaptation. ClimatePrep: Adaptation stories, lessons, and explorations. Blog. <http://www.climateprep.org/stories/2016/6/14/eba-revisited-part-1-disentangling-misconceptions-about-nature-and-adaptation>
- Midgley, G.F., Marais, S., Barnett, M. and Wågsæther, K. (2012) Biodiversity, Climate Change and Sustainable Development – Harnessing Synergies and Celebrating Successes. The World Bank, Cape Town.
- Millennium Ecosystem Assessment (2005) Summary for decision makers. In 'Ecosystems and Human Well-being': Synthesis, 1-24. Island Press, Washington D.C.
- Naumann, S., M. Davis et al. (2013) The Social Dimension of Ecosystem-based Adaptation. UNEP Policy Series-Ecosystem Management. Ecologic Institute, United Nations Environment Programme (UNEP), Cornell University.
- Reid, W. V., Mooney, H. A., et al. (2005) Ecosystems and human well-being. Millennium ecosystem assessment synthesis report. Washington DC: Island Press.
- Reid, H. (2014a) 'A natural focus for community-based adaptation.' In J. Ensor, R. Berger and S. Huq (2014) Community-based Adaptation to Climate Change: Emerging Lessons. Practical Action Publishing, Rugby. pp 35-54
- Reid, H. (2014b) *Ecosystem- and community-based adaptation: learning from natural resource management*. IIED Briefing. IIED, London
- Rossing, T. (2015) Introduction to Ecosystem-based Adaptation: A nature-based response to climate change. Learning Brief. Global Ecosystem-based Adaptation in Mountains Programme. UNDP. <https://www.ctc-n.org/sites/www.ctc-n.org/files/learningbriefnaturebasedresponsetoclimatechange.pdf>
- Seddon, N., X. Hou-Jones, T. Pye, H. Reid, D. Roe, D. Mountain and A. R. Rizvi (2016) Ecosystem- based adaptation: a win-win formula for sustainability in a warming world? IIED Briefingpaper, July 2016, IIED, London.
- Travers, A., C. Elrick, R. Kay and O. Vestergaard (2012) Ecosystem-based adaptation decisions and guidance: moving from principles to practice. UNEP. https://www.researchgate.net/publication/287319167_Ecosystem-based_Adaptation_Moving_from_Policy_to_Practice
- UN Environment (2011) Database of Ecosystem Based Adaptation (EBA) Tools, Projects and Evaluation Tools. <http://research.usc.edu.au/vital/access/manager/Repository/usc:12562>
- UN Environment (2012) EbA Guidance – Moving from Principles to Practice. Working Document: April 2012.
- UNDP (United Nations Development Programme) (2015) Ecosystem-based adaptation mapping analysis report http://adaptation-undp.org/sites/default/files/resources/undp_EbA_mapping_analysis_report_jan_2016_final_online.pdf
- UNFCCC (United Nations Framework Convention on Climate Change) (2012) National Adaptation Plans - Technical guidelines for the national adaptation plan process. LDC Expert Group. https://unfccc.int/files/adaptation/cancun_adaptation_framework/application/pdf/napttechguidelines_eng_high_res.pdf
- UNFCCC (United Nations Framework Convention on Climate Change) (2015) Good practices and lessons learned in adaptation planning processes addressing ecosystems, human settlements, water resources and health, and in processes and structures for linking national and local adaptation planning: A synthesis of case studies. Forty-third session Paris, 1-4 December 2015. <http://unfccc.int/resource/docs/2015/sbsta/eng/04.pdf>

About the Friends of EbA

FEBA is an informal network of over 30 organizations with an interest in promoting collaboration and knowledge sharing on Ecosystem-based Adaptation through joint events and initiatives, as well as the development of position papers and technical documents on EbA.

FEBA

Friends of EbA

This document is an output of the FEBA Working Group on Criteria and Standards.

The below FEBA member organizations have been involved in its development:

